

CATALOG

Smart Home
CCtv System
Intercom
Switches



Great Empire International Group Company
Limited (Head Office) 2 Soi Chokchai Ruammit,
Chomphon Subdistrict, Chatuchak District
Bangkok 10900

Tel.02-095-6888
www.i-bechamp.co.th



I-BECHAMP SMART HOME

CCTv System

with a modern installation system leapfrog development use less equipment save more resources

The CCTV camera continues to develop until now. There are new cameras to choose from according to the needs of every customer.

Install the system by expert technicians to give advice. installation of CCTV

Camera storage system for use as evidence have international standards

Able to work 24 hours a day, reducing personnel to work Helps to increase the safety of people and property.

CCTv กล้องวงจรปิด

ULTRA-LOW LIGHT (DARKFIGHTER & DARKFIGHTERX)

4 MP ColorVu Fixed Mini Bullet Network Camera DS-2CD3021G0-I
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : 2.8 mm, 133°
 Protection Level : IP67
 Resolution : 2MP



2 MP IR Fixed Network Dome Camera DS-2CD3121G0-I
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : 2.8 mm, 4 mm, 6mm
 Fixed Min. M12
 Protection Level : IP67 , IK10
 Resolution : 2MP



2M 1/2.9" CMOS infrared dot matrix hemispherical analog camera AE-VC211T-IRS
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



4 MP ColorVu Fixed Mini Bullet Network Camera DS-2CD3047G2-LS
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



4 MP ColorVu Motorized Varifocal Dome Network Camera DS-2CD2747G2-LZS
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Varifocal lens, motorized lens, 2.8 to 12 mm
 Protection Level : IP67 , IK10
 Resolution : 2MP



2MP ColorVu Audio Indoor Fixed Turret Camera DS-2CE70DF0T-PFS
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



2 MP Audio Fixed Mini Bullet Camera THC-B120-MS
 Case Type : Bullet
 Illumination Level : 1080p camera
 Lens Type : 2.8 mm, 3.6 mm, 6 mm Fixed Lens
 Protection Level : IP67
 Resolution : 1920 (H) • 1080 (V)



4 MP AcuSense Motorized Varifocal Dome Network Camera DS-2CD2743G2-IZS
 Case Type : Dome
 Illumination Level : Up to 40 m
 Lens Type : 2.8 to 12 mm ϕ 14
 Protection Level : IP67
 Resolution : 2MP




2 MP AcuSense Fixed Cube Network Camera DS-2CD2426G2-I
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



8 MP AcuSense Motorized Varifocal Bullet Network Camera DS-2CD2683G2-IZS
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : 2.8 to 12 mm
 Fixed Lens ϕ 14
 Protection Level : IP67
 Resolution : 2MP



2 MP 25 • Network Speed Dome DS-2DF5225X-AEL(T5)
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Auto,semi-auto, manual 4.8 mm to 120 mm
 Protection Level : IP67
 Resolution : 2MP



5-inch 2 MP 25X DarkFighter Network Speed Dome DS-2DF5225X-AE3(T5)
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



Thermographic Network Bullet Camera DS-2TD2167T-7/P
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP




8 MP AcuSense Motorized Varifocal Dome Network Camera DS-2CD2783G2-IZS
 Case Type : Dome
 Illumination Level : Up to 40 m
 Lens Type : Fixed 2.8 to 12 mm
 Protection Level : IP67
 Resolution : 2MP




5-inch 2 MP 32X DarkFighter Network Speed Dome DS-2DF5232X-AE3(T5)
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP




6 MP AcuSense Fixed Bullet Network Camera DS-2CD2163G2-21/4I
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



2 MP AcuSense Motorized Varifocal Dome Network Camera DS-2CD2723G2-IZS
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : 2.8 to 12 mm, Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



6inch 4K 32X Powered by DarkFighter Network Speed Dome DS-2DF6A832X-DE3(T5)
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



4 MP ColorVu Motorized Varifocal Bullet Network Camera DS-2CD2647G2-LZS
 Case Type : Bullet
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP



TandemVu 8-inch 4 MP 25X DarkFighter Network Speed Dome DS-2SF8C425MXS-DLW(14F1)(P3)
 Case Type : Dome
 Illumination Level : up to 30 m
 Lens Type : Progressive Scan CMOS
 Protection Level : IP67
 Resolution : 2MP



6-inch 2MP 25X DarkFighter Network Speed Dome DS-2DF6A225X-AEL(T5)
 Case Type : Dome
 Illumination Level : Normal
 Lens Type : Fixed Lens
 Protection Level : IP67
 Resolution : 2MP






KEY SOLUTIONS AND FUNCTIONS YOU MAY INTEREST

comes with interesting solutions & functions which making your life easier to living in your place.

CENTRALIZED CONTROL

One switch panel controls every corner device in building. One button able to open/close all as needed.

INDOOR AIR CONTROL

Air conditioner being further controlled not only by remote controller. Indoor air quality & air renewal simply controlled & improved.

CONSUMPTION METERING

Electrical and water supply usage to be measured by meter and update to control panel screen and show as chart or graph.

MULTI SENSORS

Lots of sensors to be placed any part of building for detecting or measuring as specified

VARIOUS CONTROLLING DEVICES

All devices are controlled by wall mounted switch, touch screen, mobile phone, tablet, and desktop

Real Security, Really Convenient INTERCOM

DS-KM9503

10 inch Touch Android IP Main Station



10.1-inch IPS touch screen with resolution 1280 x 800
Up to 128 network cameras can be added to the device
Built-in SIP private service up to 10000 video intercom devices can be added
Supports more than 2 speakers and microphones. Connects to external anywhere
(3.5mm) external speaker, microphone
Displays operation pages via HDMI
Power supply standard PoE & 12 VDC
Video intercom and access control functions



DS-KH9510-WTE1

All-in-one Indoor Station



10.1-inch colorful touch screen with resolution 1024 x 600
Supports embedded app installation
Open platform for the third-party software integration
Video intercom & live view on mobile phone all-day
Built-in HD-Connect for all-in-one management
Windows instruction panel for on-site management
Receives 7 seconds of video verification from alarm systems



DS-KIS602

Video Intercom KIT



IP video intercom kit for villa or house, only one call button
DS-KIS602-WTE1 x1
4-port standard PoE switch x1
MSR TF card x1
European power supply adapter included

DS-KIS605-P

IP Intercom Kit



IP video intercom kit for villa or house, only one call button
DS-KIS605-WTE1 x1
4-port standard PoE switch x1
MSR TF card x1
European power supply adapter included

DS-KIS702Y-P

Two Wire IP Bundle

2-wire digital IP video intercom kit for villa or house, only one call button
DS-KIS702Y-WTE1 x1
DS-KIS702Y-WTE1 x1
MSR TF card x1

DS-KIS602(B)

Video Intercom KIT

IP video intercom kit for villa or house, only one call button
DS-KIS602(B)-WTE1/Surface x1
DS-KIS602(B)-WTE1 x1
4-port standard PoE switch x1
MSR TF card x1

DS-KIS604-P(C)

IP video intercom kit

Standard PoE
Noise suppression and echo cancellation
Configuration remotely via Web
Shows messages and captured pictures in the TF card
Remotes unlocking via the client software or the mobile client

DS-KIS603-P(C)

IP Video Intercom Kit

Indoor station: 7-inch touch screen, user friendly interface, Plug & Play
Indoor station: Easy, cost-efficient installation, WEB & PoE Supported
Indoor station: Receives video call and unlocks on mobile App anywhere, any time
Indoor station: Supports live view of up to 16 IP cameras
Door station: High quality imaging with 2MP resolution
Door station: Easy, cost-efficient installation, WEB & PoE Supported
Door station: Easy configuration through WDS interface
Door station: IP50 water resistant, preventing water ingress for outdoor use

Top level security

The embedded face image anti-spoofing technology boosts security level at entry points. All user data is encrypted for effective information protection, and the optional privacy protection mode also secures users' personal information.



DS-K5671-ZU



DS-K5671-ZH



DS-K5604A-3XF/V



DS-K5671-3XF/ZU



DS-K5671-W



DS-K5671-W



Robotics

multi-purpose robot



KettyBot

Robot serving food and welcoming customers with advertising space
Full LED screen width up to 18.5 inches

compact design increase mobility



BellaBot

Cute design | Multi-interaction
The system can stop and decelerate independently. induction tray



Puductor2

Dual Disinfection Modes
Sterilization rate 99.99%
Mobile, 360 degree disinfection
Long Battery Life
Autonomous Navigation and Localization



PuduBot

PuduBot - Intelligent Delivery Robot
Obstacle avoidance solution using
The most advanced 3D system
provides processing. Faster and
safer food delivery



Pudu HolaBot

Load capacity up to 60 kg.
Radio tracker function
automatic navigation planning

PuduBot 2

Dual Disinfection Modes
Sterilization rate 99.99%
Mobile, 360 degree disinfection
Long Battery Life
Autonomous Navigation
and Localization



Network System ระบบอินเทอร์เน็ต

Design and Internal system

Implement a design system using a specialized program Controlled by expert technicians, giving advice. fix problems with the internet system



Implement corporate IT systems Selling, designing, installing and consulting

Network system design services for IT systems, office information Hotels, resorts, warehouses, complete factories, installed by a professional team. Call to consult before making a decision. Free site survey Service with professional technicians



Internet system



Computer information system installation

Install Wf-fi and Wireless

set up internet system Internet Service Provider
Internet Hotspot Gateway ,Firewall ,Backup

Set up network systems, internal and external networks.
Wired network Wireless network

Install communication system Internal and external 2G 3G 4G LTE

Install LAN cable system UTP (Unshield Twisted Pairs) CAT5e CAT6 CAT7

Installation of fiber optic cable system FIBER OPTIC Singlemode Multimode FTTX

Installation of IP Phone Analog Phone internal and external telephone systems

Install a video conferencing system (Video Conference) linked in the country.
and outside the country, different branch meeting system

Install MailLog Authentication Radius server system
Server API public and private

Install a central data warehouse or large data warehouse File protection FileServer
Public and Private FilePermission AD DC Server

install a security system employee access system card reader card reader
employee time attendance Installation of closed-circuit television (CCTV) system CCTV IP system
and analog systems, both wired and wireless systems

Computer system maintenance service, IT Outsource and IT Solution
with a professional team

Control Knx



Development of smart home technology and convenience devices to bring convenience in daily life have been developed in various and continuing research which may cause some consumers not yet born Understanding and missing out on what has been developed, I-Bechamp combines innovation of Smart home for everyday use Both beautiful appearance, work suitable for home Condos, residences or even company offices to be comfortable. Up-to-date and useful



Intelligent lighting



Intelligent security



Linkage VRV air conditioning control



Curtain control



Constant temperature and humidity



Mobile APP Control